2This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

- 1. (currently amended) <u>A plurality of An immunogenic peptide</u> peptides of a target protein, said peptide peptides which produce a disease or condition specific immune response in a host, wherein the target protein is causative of, or associated with, a targeted disease or condition, and said peptide comprises peptides comprise the following structure:
 - (a) at least four to about one hundred from 5 to 10 amino acids in length;
 - (b) an amino acid sequence which is derived from identical to a part of the sequence of a protein designated the "target" protein;
 - (c) a net hydrophilic structure as determined by the amino acid sequence of the peptide, said structure located on the surface of the target protein;
 - (d) an amino acid net sequence homology of 50 percent or less as compared to the with amino acid sequences of peptide regions on a comparative protein;
 - (e) an amino acid sequence wherein no more than three contiguous amino acids are homologous identical to contiguous amino acids on of the comparative protein matched matching for overall homology; and
 - (f) an antigenic profile which elicits an immune response specific for the target protein.
- 2. (currently amended) A pharmaceutical composition comprising an a plurality of immunogenic peptide peptides of claim 1.
- 3. (currently amended) An immunogenic composition capable of inducing a mammal to produce antibodies specific for an epitope on a target protein, wherein the immunogenic composition comprises a peptide a plurality of peptides of claim 1.
- 4. (withdrawn) An immunoassay for a target molecule to determine if the molecule is present in biological fluid, said immunoassay comprising:
 - (a) contacting of peptide claim 1 with the biological fluid; and
 - (b) determining whether the peptide has complexed with an antibody present in the biological fluid from which the presence of the targeted molecule in the fluid is inferred.

- 5. (withdrawn) A diagnostic method for a disease or condition wherein a plurality of peptides of claim 1 are contacted to a microchip to detect a target protein that is causative of, or associated with, the disease or condition, said target protein causing specific antibodies to be present in a biological fluid, detection achieved by hybridization of antibodies in the biologic fluid to the plurality of peptides on the microchip.
 - 6. (withdrawn) A molecule which is specifically reactive with a peptide of claim 1.
- 7. (withdrawn) A molecule which is specifically reactive with a reactive molecule of claim 6.
- 8. (withdrawn) The molecule of claim 6, selected from the group consisting of monoclonal antibodies or immunogenic fragments thereof, recombinant proteins and adhesion proteins.
 - 9. (withdrawn) An immunoassay for a target protein, said immunoassay comprising:
 - (a) obtaining a molecule of claim 6; and
 - (b) determining whether the molecule complexes with the target protein of the peptide in a biological fluid.
- 10. (withdrawn) A diagnostic method wherein a plurality of targeted proteins are placed in a microchip to detect a microorganism, autoimmune disease, or allergy in a subject from which a biological sample is obtained, said microorganism, autoimmune disease, or allergy is detected by hybridization of targeted proteins to molecules in the biological sample.
 - 11. (withdrawn) An immune cell which is specifically reactive with a peptide of claim 1.
- 12. (withdrawn) A method for identifying a peptide which functions as a highly specific antigen for a target protein, said method comprising:
 - (a) selecting amino acid sequences of peptides of from 4 to 100 amino acids in length by copying the amino acid sequence of parent protein wherein the sequence satisfies the criteria of steps (a) to (c) claim 1;
 - (b) synthesizing candidate peptides that have the sequences of step (a);
 - (c) labeling the peptides at either the NH₂ or COOH end of their amino acid sequence with a detectable label; and
 - (d) testing by means of immunoassays whether the peptides are specific for the target protein.
 - 13. (withdrawn) An imaging reagent comprising a molecule of claim 7 and a label.

- 14. (withdrawn) The imaging reagent of claim 13, wherein the label is radioisotopic and, upon binding to microorganisms or diseased tissues highlights the presence of the microorganisms or diseased tissues when scanned with a nuclear medicine scanner.
- 15. (withdrawn) The imaging reagent of claim 13, wherein the label is a paramagnetic label which, upon binding to microorganisms or diseased tissue highlights the presence of the microorganisms or diseased tissue when scanned with a nuclear magnetic resonance (NMR) scanner.
- 16. (withdrawn) The imaging reagent of claim 13, wherein the label comprises a water density label which, upon binding to microorganisms or diseased tissues highlights the presence of the microorganisms or diseased tissues when scanned with a CAT scanner.
- 17. (currently amended) An anti-microbial therapeutic construct comprising a <u>plurality of peptides peptide</u> of claim 1.
- 18. (currently amended) The therapeutic construct of claim 17 further defined as comprising the <u>peptides</u> coupled to <u>an</u> adjuvant <u>molecules</u> which enhances immunogenicity of the <u>peptides</u> peptides.
- 19. (currently amended) The therapeutic construct of claim 17 further defined as comprising the peptide coupled to an adjuvant molecule which enhances immunogenicity of the peptide and neomolecules created by recombinant techniques comprising a peptide peptides with adjuvant molecular sequences which promote increased immunogenicity of the plurality of peptides peptide of claim 1.
- 20. (withdrawn) A anti-microbial therapeutic construct comprising a nucleic acid molecule comprising a nucleotide sequence that encodes a peptide of claim 1, said nucleic acid molecule being administered to the cells of an individual and then expressed by the individual's cells as a protein or peptide for the purpose of auto-stimulation of the individual's immune system.
- 21. (original) A method of producing anti-microbial immunity comprising obtaining and administering an effective amount the construct of claim 17 to a mammal.
- 22. (currently amended) A desensitizing reagent comprising at least one peptide the plurality of peptides of claim 1, said reagent used to down-regulate a specific immune response administered to a host affected with a targeted disease:
 - (a) in initial doses too weak to up-regulate causing immune response the disease; and
 - (b) incrementally increasing the dosage to induce immune tolerance to a specific antigen causing the disease thereby abrogating or ameliorating the disease process.